CerchioLighting
cerchio = circle

CAPO IN ACOUSTIC SINGLE FIXTURE

(STANDARD GRADE)


BEAM IN



CerchioLighting
cerchio + circle

CODE: NS-LL0125AC

PROJECT
SPEC TYPE
NOTES



GENERAL INFORMATION:

Introducing CAPO IN ACOUSTIC SINGLE FIXTURE: Elevate Your Lighting Experience. Discover the innovative CAPO IN CAPO IN ACOUSTIC SINGLE FIXTURE circle light, available in acoustic lighting options. Choose from two elegant color finishes (black and white), with customization possible. Enjoy efficient operation with AC110-277V voltage and select 0-10v dimming or non-dimmable options.
With an impressive selection of 38 acoustic felt colors, you can create a space that resonates with both light and sound.
CAPO IN ACOUSTIC SINGLE FIXTURE offers a unparalleled value cost proposition in 5 standard sizes ranging from 23 to 59 inch diameters.
Lighting from 2700K to 5000K.

OPTICS:

PMMA lenses, Anti-UV Operation

FINISHING:

Matt White, Matt Black, custom on request

BODY:

Aluminum body construction.

VOLTAGE:

110-277V

LIGHTING:

LED

LIGHTING EFFICIENCY:

≧ 70 lm/w

IP RATING:

44

APPLIANCE CLASS:

I

Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©Bullard & Company 2024 All Rights Reserved

Updated 01/25/2024


CerchioLighting
cerchio = circle

CODE: NS-LL0125AC

PROJECT

SPEC TYPE

NOTES





HOW TO ORDER:

CODE

Example: NS-LL0125AC-I-S-D23-1-3-32W-80-27K-DIM-SW-CS-RE-NSAC-013111	NS-LL0125AC

1 LIGHT DISTRIBUTION: -I

-I Indirect

2 INSTALLATION TYPE: -S

-S Suspended

3 CIRCLE DIAMETER:

CODE = RING DIAMETER | H

-D23 23.6" (60cm)
-D35 35.4" (90cm)
-D47 47.2" (120cm)
-D59 59.1" (150cm)

4 SIDE PROFILE HEIGHT: -1-3

-1-3 1.3"

5 POWER AND LIGHT EMISSION:

CODE = WATTS | Ø		DIRECT LUMENS
-32W	23"	2,240 lm
-40W	35"	2,800 lm
-70W	47"	4,900 lm
-80W	59"	5,600 lm

*E.G : 32W = 32 total Watts

6 LED CRI:

-80 CRI 80
-90 CRI 90

7 SPECIFY CCT:

-27K	2700K	-35K	3500K
-30K	3000K	-40K	4000K
		-50K	5000K

LED IP44

Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.


©Bullard & Company 2024 All Rights Reserved

Updated 01/25/2024

CerchioLighting
cerchio = circle

CODE: NS-LL0125AC

PROJECT
SPEC TYPE
NOTES



HOW TO ORDER: CODE

Example: NS-LL0125AC-I-S-D23-1-3-32W-80-27K-DIM-SW-CS-RE-NSAC-013111	NS-LL0125AC

8 DIMMING OPTION:

- **-STD** Non-Dimmable
- **-DIM** 1-10V

9 FIXTURE FINISH:


- **-SW** Matt White
- **-SB** Matt Black
- **-RAL** Custom RAL on request*

* E.G. : RAL = #3020

10 CANOPY OPTIONS:



CS
cable
straight



CSS
central
standard

11 ADDITIONAL FEATURES:

- **-RE** Remote Emergency
- **-OS** Occupancy Sensor
- **-DS** Daylight Sensor/Light Harvesting

* E.G. : RE = Remote Emergency

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©Bullard & Company 2024 All Rights Reserved


CerchioLighting

CODE: NS-LL0125AC

PROJECT

SPEC TYPE

NOTES









HOW TO ORDER:

CODE

Example: NS-LL0125AC-I-S-D23-1-3-32W-80-27K-DIM-SW-CS-RE-NSAC-013111

NS-LL0125AC

12 ACOUSTIC COLORS:

-NSAC-001141	-NSAC-013111	-NSAC-025138
-NSAC-002122	-NSAC-018125	-NSAC-038127
-NSAC-003120	-NSAC-019126	-NSAC039143
-NSAC-004123	-NSAC-016104	-NSAC-028110
-NSAC-005107	-NSAC-017147	-NSAC-029112
-NSAC-006106	-NSAC-022119	-NSAC-042-146
-NSAC-007145	-NSAC-031108	-NSAC-043115
-NSAC-008129	-NSAC-020128	-NSAC-036105
-NSAC-009140	-NSAC-021130	-NSAC-033103
-NSAC-014144	-NSAC-034102	-NSAC-040124
-NSAC-011135	-NSAC-035101	-NSAC-044114
-NSAC-012133	-NSAC-024117	

Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©Bullard & Company 2024 All Rights Reserved

Updated 01/25/2024