

BEAM UP OR DOWN



PROJECT

SPEC TYPE

NOTES

GENERAL INFORMATION:

The FRUIT 1 SPECIFICATION GRADE - Direct or Indirect Beam - offers the ultimate in complete customization while still maintaining a superior value proposition in the marketplace.

Every attribute from the canopy color, suspension hardware, electrical cable colors, housing finishes, LED optics, and lighting controls offers complete customization in both standard customization packages as well as complete customization of any size and any color.

OPTICS:

Machined formed and welded satin PMMA diffuser integrated into optimized light chamber design for dot-less uniform lighting.

High transmissivity PMMA (>90%) to maximize light output. Available in 2700K, 3000K, 3500K, 4000K, RGB and RGBW as well as custom request color temperatures with smooth, dot free illumination.

FINISHING:

A complete selection of powder coat finishes in addition to custom powder coat RAL, Faux-Wood finishes as well as one of the world's most complete selection of Galvanic Metal Finishes from Anthracite to 24 Karat Gold Finishes.

HOUSING/BODY:

Patented aluminum extruded and welded 6061-T6 aluminum Dual Ring Design allowing for no visible fasteners from human eyes when installed.

This design allows for sleek and customizable side wall widths with multiple variations from 2.5" to 6" widths with unlimited custom widths.

This patented construction system allows flexible diameter sizes and flexible side wall widths.

VOLTAGE:

110-277V





LIGHTING:

LED



IP RATING:

IP20



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

CODE

Example:
P77-D-D24-H3-W4-SS-80CR-27KD-30KID-ND-DE24-LW-BW-TS-RE

P77

1 LIGHT DISTRIBUTION:

- D DIRECT
- I INDIRECT



2 CIRCLE DIAMETER:

- | | | | | | |
|------|-----|------|-----|-------|------|
| -D24 | 24" | -D56 | 56" | -D84 | 84" |
| -D36 | 36" | -D60 | 60" | -D96 | 96" |
| -D42 | 42" | -D72 | 72" | -D120 | 120" |
| -D48 | 48" | -D78 | 78" | | |

-CDR *

Custom dimensions on request

3 SIDE PROFILE HEIGHT:

- | | | | |
|-------|------|-----|----|
| -H1 | 1" | -H4 | 4" |
| -H2-5 | 2.5" | -H5 | 5" |
| -H3 | 3" | -H6 | 6" |
| -H3-5 | 3.5" | | |
- CS *

Custom dimensions on request

4 WIDTH OF PROFILE:

- | | | | |
|-------|------|-----|----|
| -W2-5 | 2.5" | -W5 | 5" |
| -W3 | 3" | -W6 | 6" |
| -W3-5 | 3.5" | | |
| -W4 | 4" | | |

-CS *

Custom dimensions on request

5 INSTALLATION AND CANOPY TYPE:



-SS
separate
standard

-SRD
separate
remote

-CSS
central
standard

-CSR
central
remote driver

-NSR
nexus central
remote driver



Profile Height: 2,5"

Profile Height: 4"

Profile Height: 6"



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

CODE

6

LED CRI:

-80CR CRI 80

-90CR CRI 90

7

SPECIFY CCT (DIRECT):

-27KD 2700K -35KD 3500K

-30KD 3000K -40KD 4000K

-KD-RGB RGB -50KD 5000K

8

SPECIFY CCT (INDIRECT):

-27KID 2700K -35KID 3500K

-30KID 3000K -40KID 4000K

-KID-RGB RGB -50KID 5000K

-NR Not-required

9

DIMMING OPTION:

-ND Non-Dimmable

-0-10 0-10V

-CS* custom dimming on request

10

DIRECT LIGHT EMISSION:

CODE | DIAMETER | LUMENS | WATTS:

-DE24 24" 2,166 lm 26W

-DE36 36" 3,250 lm 39W

-DE42 42" 3,735 lm 45W

-DE48 48" 4,333 lm 52W

-DE56 56" 4,980lm 60W

-DE60 60" 5,416 lm 65W

-DE72 72" 6,500 lm 78W

-DE78 78" 6,889 lm 83W

-DE84 84" 7,470 lm 90W

-DE96 96" 8,666 lm 104W

-DE120 120" 10,624 lm 128W

-CS* custom lumen packages on request

Profile Height: 2,5"

Profile Height: 4"

Profile Height: 6"



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

CODE

11 INDIRECT LIGHT EMISSION:

CODE | DIAMETER | LUMENS | WATTS:

-IDE24	24"	2,166 lm	26W
-IDE36	36"	3,250 lm	39W
-IDE42	42"	3,735 lm	45W
-IDE48	48"	4,333 lm	52W
-IDE56	56"	4,980 lm	60W
-IDE60	60"	5,416 lm	65W
-IDE72	72"	6,500 lm	78W
-IDE78	78"	6,889 lm	83W
-IDE84	84"	7,470 lm	90W
-IDE96	96"	8,666 lm	104W
-IDE120	120"	10,624 lm	128W
-NN	none		
-CS*	custom lumen packages on request		

12 FIXTURE FINISH:

POWDER COAT FINISHES

-WH	White Powder Coated
-BK	Black Powder Coated
-BR	Bronze Powder Coated
-CRM	Chrome Powder Coated
-CS*	Custom RAL on request

* E.G. : CS = RAL #3020

FAUX-WOOD PAINTED FINISHES

-W	Light wood
-BW	Brown wood
-DR	Dark wood

GALVANIC METAL FINISHES

-AL	Aluminum	-SC	Satin Copper
-AT	Anthracite	-BSG	Brushed Satin Gold
-NI	Nickel	-GL	Gold Leaf
-NS	Nickel Satin	-G24	Gold 24 Karat
-SL	Silver Leaf	-BL	Black
-CL	Copper Leaf	-BZ	Bronze
-OCL	Oxidated Copper Leaf	-CT	Corten



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com

www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES

HOW TO ORDER:

CODE

13 CANOPY FINISH:

POWDER COAT FINISHES

-WH	White Powder Coat
-BK	Black Powder Coat
-BR	Bronze Powder Coat
-CRM	Chrome Powder Coat
-CS*	Custom RAL on request

* E.G.: CS = RAL #3020

FAUX-WOOD PAINTED FINISHES

-LW	Light wood
-BW	Brown wood
-DR	Dark wood

GALVANIC METAL FINISHES

-AL	Aluminum	-SC	Satin Copper
-AT	Anthracite	-CT	Corten
-NI	Nickel	-BSG	Brushed Satin Gold
-NS	Nickel Satin	-GL	Gold Leaf
-SL	Silver Leaf	-G24	Gold 24 Karat
-CL	Copper Leaf	-BL	Black
-OCL	Oxidated Copper Leaf	-BZ	Bronze

14 CORD FINISH:

-BL	Black
-WH	White
-TS	Transparent

15 OPTIONAL CONTROL FEATURES:

-RE	Remote Emergency
-OS	Occupancy Sensor
-DS	Daylight Sensor/Light Harvesting

Profile Height: 2,5"

Profile Height: 4"

Profile Height: 6"



WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:


sales@gordonbullard.com

www.cerchiolighting.com


1 877-964-4646

CHANDELIER CONFIGURATIONS:


FRUIT circles may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




C01.




C02.




C03.




C04.




C05.



C06.



C07.



C08.




C09.



C10.



C11.



C12.