CerchioLighting
cerchio = circle

CAPO 2 ACOUSTIC SINGLE FIXTURE

(STANDARD GRADE)


BEAM IN AND OUT



CerchioLighting
cerchio + circle

CODE: NS-LL0213AC

PROJECT
SPEC TYPE
NOTES





GENERAL INFORMATION:

Introducing CAPO 2 ACOUSTIC SINGLE FIXTURE : Elevate Your Lighting Experience. Discover the innovative CAPO 2 ACOUSTIC SINGLE FIXTURE circle light, available in acoustic lighting options. Choose from two elegant color finishes (black and white), with customization possible. Enjoy efficient operation with AC110-277V voltage and select 0-10v dimming or non-dimmable options.
With an impressive selection of 38 acoustic felt colors, you can create a space that resonates with both light and sound.
CAPO 2 ACOUSTIC SINGLE FIXTURE offers a unparalleled value cost proposition in 5 standard sizes ranging from 11 to 47 inch diameters.
Lighting from 2700K to 5000K.

OPTICS:

PMMA lenses, Anti-UV Operation

FINISHING:

Matt White, Matt Black, custom on request

BODY:

PMMA lenses, Anti-UV Operation

VOLTAGE:

110-277V

LIGHTING:

LED

LIGHTING EFFICIENCY:

≧ 70 lm/w

IP RATING:

44

APPLIANCE CLASS:

I

Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.
©Bullard & Company 2024 All Rights Reserved
Updated 01/25/2024


CerchioLighting
cerchio = circle

CODE: NS-LL0213AC

PROJECT

SPEC TYPE

NOTES



LED IP44

HOW TO ORDER:

CODE

Example:
NS-LL0213AC-DI-S-D11-07-0-8-32W-80-27K-DIM-SW-CS-RE-NSAC-013111

NS-LL0213AC

1 LIGHT DISTRIBUTION:

-DI

-DI Direct / Indirect

2 INSTALLATION TYPE:

-S

-S Suspended

3 CIRCLE DIAMETER:

CODE =	RING DIAMETER	H	CODE =	RING DIAMETER	H
-D11-07	11.8" (30cm)	0,71"	**-D11-1**	11.8" (30cm)	1,1"
-D15-07	15.7" (40cm)	0,71"	**-D15-1**	15.7" (40cm)	1,1"
-D23-07	23.6" (60cm)	0,71"	**-D23-1**	23.6" (60cm)	1,1"
-D35-07	35.4" (90cm)	0,71"	**-D35-1**	35.4" (90cm)	1,1"
-D47-07	47.2" (120cm)	0,71"	**-D47-1**	47.2" (120cm)	1,1"

4 SIDE PROFILE HEIGHT:

-1-3

-1-3 1.3"

5 POWER AND LIGHT EMISSION:

CODE =	WATTS | Ø	DIRECT LUMENS
-32W	11"	2,240 lm
-45W	15"	3,150 lm
-60W	23"	4,200 lm
-100W	35"	7,000 lm
-135W	47"	9,450 lm

*E.G : 32W = 32 total Watts

6 LED CRI:

-80 CRI 80

-90 CRI 90

7 SPECIFY CCT:

-27K	2700K	**-35K**	3500K
-30K	3000K	**-40K**	4000K
		-50K	5000K

Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.


©Bullard & Company 2024 All Rights Reserved

Updated 01/25/2024

CerchioLighting
cerchio = circle

CODE: NS-LL0213AC

PROJECT
SPEC TYPE
NOTES





HOW TO ORDER:

CODE

Example: NS-LL0213AC-DI-S-D11-07-1-3-32W-80-27K-DIM-SW-CS-RE-NSAC-013111

NS-LL0213AC

8 DIMMING OPTION:

- **-STD** Non-Dimmable
- **-DIM** 1-10V

9 FIXTURE FINISH:

- **-SW** Matt White
- **-SB** Matt Black
- **-RAL** Custom RAL on request*

* E.G. : RAL = #3020

10 CANOPY OPTIONS:



CS
cable
straight

CSS
central
standard

11 ADDITIONAL FEATURES:

- **-RE** Remote Emergency
- **-OS** Occupancy Sensor
- **-DS** Daylight Sensor/Light Harvesting

* E.G. : RE = Remote Emergency

Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©Bullard & Company 2024 All Rights Reserved

Updated 01/25/2024


CerchioLighting

CODE: NS-LL0213AC

PROJECT

SPEC TYPE

NOTES









HOW TO ORDER:

CODE

Example: NS-LL0213AC-DI-S-D11-07-1-3-32W-80-27K-DIM-SW-CS-RE-NSAC-013111

NS-LL0213AC

12 ACOUSTIC COLORS:

- -NSAC-001141
- -NSAC-002122
- -NSAC-003120
- -NSAC-004123
- -NSAC-005107
- -NSAC-006106
- -NSAC-007145
- -NSAC-008129
- -NSAC-009140
- -NSAC-014144
- -NSAC-011135
- -NSAC-012133
- -NSAC-013111
- -NSAC-018125
- -NSAC-019126
- -NSAC-016104
- -NSAC-017147
- -NSAC-022119
- -NSAC-031108
- -NSAC-020128
- -NSAC-021130
- -NSAC-034102
- -NSAC-035101
- -NSAC-024117
- -NSAC-025138
- -NSAC-038127
- -NSAC039143
- -NSAC-028110
- -NSAC-029112
- -NSAC-042-146
- -NSAC-043115
- -NSAC-036105
- -NSAC-033103
- -NSAC-040124
- -NSAC-044114

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©Bullard & Company 2024 All Rights Reserved

Updated 01/25/2024