CerchioLighting
cerchio = circle

# FRUIT 1 ACOUSTIC SURFACE MOUNTED

## (STANDARD GRADE)

BEAM DOWN






CerchioLighting
cerchio + circle

CODE: NS-LL0113AC

| |
|---|
| PROJECT |
| SPEC TYPE |
| NOTES |






## GENERAL INFORMATION:

Introducing FRUIT 1 ACOUSTIC SURFACE MOUNTED: Elevate Your Lighting Experience. Discover the innovative FRUIT 1 ACOUSTIC SURFACE MOUNTED circle light, available in acoustic lighting options. Choose from two elegant color finishes (black and white), with customization possible. Enjoy efficient operation with AC110-277V voltage and select 0-10v dimming or non-dimmable options.
With an impressive selection of 38 acoustic felt colors, you can create a space that resonates with both light and sound.
FRUIT 1 ACOUSTIC SURFACE MOUNTED offers a unparalleled value cost proposition in 9 standard sizes ranging from 23 to 196 inch diameters. Lighting from 2700K to 5000K.

## OPTICS:

PMMA lenses, Anti-UV Operation

## FINISHING:

Matt White, Matt Black, custom on request

## BODY:

Aluminum body construction.

## VOLTAGE:

110-277V

## LIGHTING:

LED

## LIGHTING EFFICIENCY:

≧ 85 lm/w

## IP RATING:

44

## APPLIANCE CLASS:

I



Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©Bullard & Company 2024 All Rights Reserved

Updated 01/13/2024


CerchioLighting
cerchio = circle

CODE: NS-LL0113AC

PROJECT

SPEC TYPE

NOTES






## HOW TO ORDER:

CODE

Example: NS-LL0113AC-D-SM-D23-1-3-40W-80-27K-DIM-SW-RE-NSAC-018125

NS-LL0113AC

### 1 LIGHT DISTRIBUTION:

-D

-D Direct

### 2 INSTALLATION TYPE:

-SM

-SM Surface Mounted

### 3 CIRCLE DIAMETER:

| CODE = | RING DIAMETER | CODE = | RING DIAMETER |
|---|---|---|---|
| -D23 | 23.6" (60cm) | -D98 | 98.4" (250cm) |
| -D35 | 35.4" (90cm) | -D118 | 118.1" (300cm) |
| -D47 | 47.2" (120cm) | -D157 | 157.5" (400cm) |
| -D59 | 59.1" (150cm) | -D196 | 196.9" (500cm) |
| -D78 | 78.7" (200cm) | | |

### 4 SIDE PROFILE HEIGHT:

-1-3

-1-3 1.3"

### 5 POWER AND LIGHT EMISSION:

| CODE = | WATTS \| Ø | DIRECT LUMENS | CODE = | WATTS \| Ø | DIRECT LUMENS |
|---|---|---|---|---|---|
| -40W | 23" | 3,400lm | -160W | 98" | 13,600 lm |
| -50W | 35" | 4,250 lm | -200W | 118" | 17,000 lm |
| -80W | 47" | 6,800 lm | -300W | 157" | 25,500 lm |
| -100W | 59" | 8500 lm | -400W | 196" | 34,000 lm |
| -120W | 78" | 10,200 lm | | | |

*E.G : 40W = 40 total Watts

### 6 LED CRI:

-80 CRI 80

-90 CRI 90

### 7 SPECIFY CCT:

| | | | |
|---|---|---|---|
| -27K | 2700K | -35K | 3500K |
| -30K | 3000K | -40K | 4000K |
| | | -50K | 5000K |



Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.


©Bullard & Company 2024 All Rights Reserved

Updated 01/13/2024

CerchioLighting
cerchio = circle

CODE: NS-LL0113AC

| PROJECT |
| --- |
| SPEC TYPE |
| NOTES |











## HOW TO ORDER:

**CODE**

Example: NS-LL0113AC-D-SM-D23-1-3-40W-80-27K-DIM-SW-RE-NSAC-018125

NS-LL0113AC

### 8 DIMMING OPTION:

- **-STD** Non-Dimmable
- **-DIM** 1-10V

### 9 FIXTURE FINISH:

- **-SW** Matt White
- **-SB** Matt Black
- **-RAL** Custom RAL on request*

* E.G. : RAL = #3020

### 10 ADDITIONAL FEATURES:

- **-RE** Remote Emergency
- **-OS** Occupancy Sensor
- **-DS** Daylight Sensor/Light Harvesting

* E.G. : RE = Remote Emergency




**Contact Us:**

sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646



Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©Bullard & Company 2024 All Rights Reserved




Updated 01/13/2024

CerchioLighting
cerchio = circle

CODE: NS-LL0113AC

| PROJECT |
| --- |
| SPEC TYPE |
| NOTES |











## HOW TO ORDER:

CODE

Example: NS-LL0113AC-D-SM-D23-1-3-40W-80-27K-DIM-SW-RE-NSAC-018125

NS-LL0113AC

## 11 ACOUSTIC COLORS:

| | | |
| --- | --- | --- |
| -NSAC-001141 | -NSAC-013111 | -NSAC-025138 |
| -NSAC-002122 | -NSAC-018125 | -NSAC-038127 |
| -NSAC-003120 | -NSAC-019126 | -NSAC039143 |
| -NSAC-004123 | -NSAC-016104 | -NSAC-028110 |
| -NSAC-005107 | -NSAC-017147 | -NSAC-029112 |
| -NSAC-006106 | -NSAC-022119 | -NSAC-042-146 |
| -NSAC-007145 | -NSAC-031108 | -NSAC-043115 |
| -NSAC-008129 | -NSAC-020128 | -NSAC-036105 |
| -NSAC-009140 | -NSAC-021130 | -NSAC-033103 |
| -NSAC-014144 | -NSAC-034102 | -NSAC-040124 |
| -NSAC-011135 | -NSAC-035101 | -NSAC-044114 |
| -NSAC-012133 | -NSAC-024117 | |



Contact Us:
sales@gordonbullard.com
www.cerchiolighting.com
1 877-964-4646

Due to the dynamic nature of lighting products and the associated technologies, luminaire data on all specification sheets is subject to change at the discretion of Gordon Bullard LLC and associated companies.

©Bullard & Company 2024 All Rights Reserved

Updated 01/25/2024