




PROJECT

SPEC TYPE

NOTES



## GENERAL INFORMATION:

Apollo Horizontal: a sleek outdoor lighting solution crafted from durable PMMA material. Featuring a powerful white LED light engine with options for 3000K, 3500K, or 4000K CCT, it offers versatile illumination for any outdoor setting. Operating on 110-277V and compatible with 0-10V dimming, Apollo Horizontal combines functionality with style to enhance outdoor spaces effortlessly.

## FINISHING ENDCUPS:

Clear Anodised, Black Anodised, Bronze, Chrome Plated, White Powder Coated, Black Powder Coated

## BODY:

PMMA

## VOLTAGE:

110-277V



## LIGHTING:

LED



## IP RATING:

20

IP20

## EFFICIENCY:

Up to 83 lm/W delivered

## LED CRI:

90


## TYPE OF CANOPY:

5" Round canopy

PROJECT

SPEC TYPE

NOTES



## HOW TO ORDER:

CODE

Example:

CODE: AP-2-H-L12-CL10-DT2-AT1-30K-ND-AN-AB-HAP15

AP-2-H-L12-CL10-DT2-AT1-30K-ND-AN-AB-HAP15

### 1 LENGTH OF THE FIXTURE:

|      |     |                              |     |
|------|-----|------------------------------|-----|
| -L12 | 12" | -L60                         | 60" |
| -L24 | 24" | -L72                         | 72" |
| -L36 | 36" | -CDR*                        |     |
| -L48 | 48" | Custom dimensions on request |     |

### 3 CORD LENGTH:

|       |     |
|-------|-----|
| -CL10 | 10" |
| -CL25 | 15" |
| -CL20 | 20" |
| -CL25 | 25" |
| -CL30 | 30" |

### 4 DIAMETER OF THE FIXTURE TUBE:

|        |      |
|--------|------|
| -DT1-5 | 1.5" |
| -DT2   | 2"   |

### 5 AMOUNT OF TUBE ON THE CANOPY:

|       |    |
|-------|----|
| -AT1  | 1  |
| -AT2  | 2  |
| -AT3  | 3  |
| -AT7  | 7  |
| -AT15 | 15 |
| -AT27 | 27 |

### 6 SPECIFY CCT

|      |       |
|------|-------|
| -30K | 3000K |
| -35K | 3500K |
| -40K | 4000K |

WWW.BULLARDCOLLECTION.COM

OUTDOOR

TECHNICAL

DECORATIVE



WE WELCOME ALL CUSTOM ORDERS

Contact Us:

sales@gordonbullard.com


www.cerchiolighting.com

1 877-964-4646

PROJECT

SPEC TYPE

NOTES



## HOW TO ORDER:

CODE

Example:  
CODE: AP-2-H-L12-CL10-DT2-AT1-30K-ND-AN-AB-HAP15

AP-2-H-L12-CL10-  
DT2-AT1-30K-ND-  
AN-AB-HAP15

### 7 DIMMING OPTION:

- ND Non-Dimmable
- 0-10 0-10V
- CS\* custom dimming on request

### 7 ENDCUP FINISH OPTIONS:

- AN Clear Anodised
- AB Black Anodised
- BZ Bronze
- CR Chrome Plated
- WH White Powder Coated
- BK Black Powder Coated
- NN Without endcup
- CUS \*Custom on request


### 8 CANOPY FINISH OPTIONS:

- AN Clear Anodised
- AB Black Anodised
- BZ Bronze
- CR Chrome Plated
- WH White Powder Coated
- BK Black Powder Coated
- NN Without endcup
- CUS \*Custom on request


9

## CHANDELIER CONFIGURATIONS:


Appollo may be ordered as separate circle pendants and/or in cluster configurations of two, three or five fixtures of various sizes, as well as custom clusters. (Consult factory for custom designs.)




HAP3




HAP5




HAP8



HAP10



HAP12



HAP15